

Dimensions Multichopper plus



MCO 150 plus

Weight: 145 kg
(320 lbs)




MCO 300 plus

Weight: 267 kg
(589 lbs)

Börger GmbH | Benningsweg 24 | 46325 Borken-Weseke | GERMANY | Tel: +49 (2862) 9103-0 | www.boerger.com | 12/2012


Dimensions of different designs



Design 1 | Short, straight pipe connectors with connection flange and gasket, in mm **/ inches (approx.)**

		Size							
		P150 plus				P300 plus			
Nominal	Standard:	DIN/DIN EN		ANSI/ASME		DIN/DIN EN		ANSI/ASME	
diameter:	Dimension:	A	B	A	B	A	B	A	B
DN 80	mm	238	816	263	866	—	—	—	—
3"	inch	**9.37**	**32.13**	**10.35**	**34.09**	—	—	—	—
DN 100	mm	203	746	227	794	154	816	178	864
4"	inch	**7.99**	**29.37**	**8.94**	**31.26**	**6.06**	**32.13**	**7.01**	**34.02**
DN 125	mm	163	666	—	—	—	—	—	—
5"	inch	**6.42**	**26.22**	—	—	—	—	—	—
DN 150	mm	168	676	224	788	228	964	262	1,032
6"	inch	**6.61**	**24.61**	**8.82**	**31.02**	**8.98**	**37.95**	**10.31**	**40.63**
DN 200	mm	—	—	—	—	203	914	243	994
8"	inch	—	—	—	—	**7.99**	**35.98**	**9.57**	**39.13**
DN 250	mm	—	—	—	—	203	914	235	978
9"	inch	—	—	—	—	**7.99**	**35.98**	**9.25**	**38.5**
DN 250	mm	—	—	—	—	334	1,176	380	1,268
10"	inch	—	—	—	—	**13.15**	**46,3**	**14.96**	**49.92**

Production-related deviations in individual dimensions within an acceptable tolerance cannot be ruled out.
Requests for dimensions regarding a specific order are welcome.



Standard unit in mm **/ inches (approx.)**

Drive	Size					
	P150 plus			P300 plus		
	Weight	Dimensions		Weight	Dimensions	
		L1	H1		L1	H1
2.2	130 kg	730 mm	514 mm	—	—	—
3 HP	**287 lbs**	**28.74 inch**	**20.24 inch**	—	—	—
4.0	—	—	—	290 kg	860 mm	680 mm
5 HP	—	—	—	**640 lbs**	**33.86 inch**	**26.77 inch**

Production-related deviations in individual dimensions within an acceptable tolerance cannot be ruled out.
Requests for dimensions regarding a specific order are welcome.