



Dimensions Rotorrake





RR 6000 Weight: 291 kg (642 lbs)






RR 9000 Weight: 435 kg (959 lbs)

Börger GmbH | Benningsweg 24 | 46325 Borken-Weseke | GERMANY | Tel: +49 (2862) 9103-0 | www.boerger.com | 12/2012


Dimensions of different designs



Design 1 | Short, straight pipe connectors with connection flange and gasket, in mm **/ inches (approx.)**

		Size							
		RR 6000				RR 6000			
Nominal	**Standard:**	**DIN/DIN EN**		**ANSI/ASME**		**DIN/DIN EN**		**ANSI/ASME**	
diameter:	**Dimension:**	**A**	**B**	**A**	**B**	**A**	**B**	**A**	**B**
DN 100	mm	154	816	178	864	—	—	—	—
4"	inch	**6.06**	**32.13**	**7.01**	**34.02**				
DN 150	mm	228	964	262	1,032	253	1,178	293	1,258
6"	inch	**8.98**	**37.,95**	**10.32**	**40.63**	**9.96**	**46.38**	**11.54**	**49.53**
DN 200	mm	203	914	243	994	223	1,118	257	1,186
8"	inch	**7.99**	**35.98**	**9.57**	**39.13**	**8.78**	**44.02**	**10.12**	**46.70**
DN 250	mm	203	914	235	978	237	1,146	283	1,238
10"	inch	**7.99**	**35.98**	**9.25**	**38.50**	**9.33**	**45.19**	**11.14**	**48.74**
DN 300	mm	—	—	—	—	272	1,216	331	1,334
12"	inch					**10.71**	**47.87**	**13.03**	**52.52**
DN 350	mm	—	—	—	—	361	1,394	416	1,504
14"	inch					**14.21**	**54.88**	**16.38**	**59.21**
DN 400	mm	—	—	—	—	253	1,178	293	1,258
16"	inch					**9.96**	**46.38**	**11.54**	**49.53**

Production-related deviations in individual dimensions within an acceptable tolerance cannot be ruled out.
Requests for dimensions regarding a specific order are welcome.



Standard unit in mm **/ inches (approx.)**

Drive	Size					
	RR 6000			RR 6000		
	Weight	Dimensions		Weight	Dimensions	
		L1	H1		L1	H1
7.5 kW **9 HP**	325 kg **717 lbs**	970 mm **38.19 inch**	710 mm **27.95 inch**	—	—	—
15 kW **20 HP**	—	—	—	450 kg **992 lbs**	1,085 mm **42.72 inch**	865 mm **34.06 inch**

Production-related deviations in individual dimensions within an acceptable tolerance cannot be ruled out.
Requests for dimensions regarding a specific order are welcome.

Börger GmbH | Benningsweg 24 | 46325 Borken-Weseke | GERMANY | Tel: +49 (2862) 9103-0 | www.boerger.com | 12/2012